Neuroscience Letters, 207 (1996) 219–221
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Ábrahám, C.S., Deli, M.A., Joó, F., Megyeri, P., Torpier, G., Intracarotid tumor necrosis factor-α administration increases the blood–brain barrier permeability in cerebral cortex of the newborn pig: quantitative aspects of double-labelling studies and confocal laser scanning analysis, 85
Adani, O., see Bronzetti, E., 211
Akiguchi, I., see Yasuhara, O., 167
Ali, Z., Wu, G., Kozlov, A., Barasi, S., The role of $5HT_3$ in nociceptive processing in the rat spinal cord: results from behavioural and electrophysiological studies, 203
Amaducci, L., see Failli, P., 216
Amenta, F., see Bronzetti, E., 211
Apodaca, A., see Saland, L.C., 138

Baekelandt, V., Eysel, U.T., Orban, G.A., Vandesande, F., Long-term effects of retinal lesions on growth-associated protein 43 (GAP-43) expression in the visual system of adult cats, 113
Barasi, S., see Ali, Z., 203
Bellinzona, M., Gobbel, G.T., Shinohara, C., Fike, J.R., Apoptosis is induced in the subependyma of young adult rats by ionizing irradiation, 163
Berthold, C.-H., see Skoglund, T.S., 97
Block, F., Schwarz, M., Memantine reduces functional and morphological consequences induced by global ischemia in rats, 41
Bonnot, A., Bouc, A.-M., Viala, D., Viala, G., Effect of posture on the onset of fictive locomotion in the decerebrate rabbit preparation, 9
Born, J., see Mölle, M., 61
Bouc, A.-M., see Bonnot, A., 9
Boulay, D., Duterte-Boucher, D., Nouel, D., Costentin, J., Locomotor sensitization to [D-Trp^{11}]neurotensin after repeated injections of the dopamine uptake inhibitor GBR12783 in rats, 5
Boyd, R.T., Transcriptional regulation and cell specificity determinants of the rat nicotinic acetylcholine receptor α3 gene, 73
Bronzetti, E., Adani, O., Amenta, F., Felici, L., Mannino, F., Ricci, A., Muscarinic cholinergic receptor subtypes in human peripheral blood lymphocytes, 211
Brown, R.A., see Peeling, J., 21
Bruns, D., see Ziemann, U., 187
Butterworth, R.F., see Raghavendra Rao, V.L., 17

Carlton, S.M., see Lekan, H.A., 147
Cavalheiro, E.A., see Mello, L.E.A.M., 133
Chintala, S.K., see Sivaparvathi, M., 171
Chodobski, A., see Szmydynger-Chodobska, J., 179
Clasen, T., see Skatchkov, S.N., 81
Coggeshall, R.E., see Lekan, H.A., 147
Cooper, P.N., see Siddons, M.A., 65
Costentin, J., see Boulay, D., 5
Curry, S., see Peeling, J., 21
Czachurski, J., see Zanzinger, J., 121

Damhaut, P., see Dethy, S., 159
Daniels, S., see Roberts, R.J., 125
de Bigontina, P., see Vecchiet, L., 117
DeFazio, T., 'Intact' dopaminergic midbrain neurons of the rat display unclamped dendritic Ca^{2+} currents, 29
Deli, M.A., see Ábrahám, C.S., 85
Dethy, S., Laute, M.A., Togasaki, D.M., Przedborski, S., Damhaut, P., Thiry, P., Hildebrand, J., Goldman, S., Systemic and intrastriatal theophylline have opposite effects on dopamine and dopamine metabolites measured by intrastriatal microdialysis in the rat, 159
Dimitrov, B., Gavrilenko, T., Gatev, P., Mechanically evoked cerebral potentials to sudden ankle dorsiflexion in human subjects during standing, 199
Dragani, L., see Vecchiet, L., 117
Dringen, R., see Elekes, O., 69
Duterte-Boucher, D., see Boulay, D., 5

Elekes, O., Venema, K., Postema, F., Dringen, R., Hamprecht, B., Korf, J., Evidence that stress activates glial lactate formation in vivo assessed with rat hippocampus lactography, 69
Estacio, M.A.C., Tsukamura, H., Yamada, S., Tsukahara, S., Hirunagi, K., Maeda, K.-i., Vagus nerve mediates the increase in estrogen receptors in the hypothalamic paraventricular nucleus and nucleus of the solitary tract during fasting in ovariectomized rats, 25
Eysel, U.T., see Baekelandt, V., 113

Failli, P., Tesco, G., Ruocco, C., Ginestroni, A., Amaducci, L., Giotti, A., Sorbi, S., The effect of tetraethylammonium on intracellular calcium concentration in Alzheimer's disease fibroblasts with APP, S182 and E5-1 missense mutations, 216
Fehm, H.L., see Mölle, M., 61
Felici, L., see Bronzetti, E., 211
Fellmann, D., see Grillon, S., 33
Ferré, S., Popoli, P., Tinner-Staines, B., Fuxe, K., Adenosine A_1 receptor–dopamine D_1 receptor interaction in the rat limbic system: modulation of dopamine D_1 receptor antagonist binding sites, 109
Feuerstein, C., see Roudet, C., 89
Fike, J.R., see Bellinzona, M., 163
Finch, D.M., see Mello, L.E.A.M., 133
Fukushima, T., see Moriya, T., 129
Funakoshi, A., see Yasuhara, O., 167
Fuxe, K., see Ferré, S., 109

Gatev, P., see Dimitrov, B., 199
Gavrilenko, T., see Dimitrov, B., 199
Giamberardino, M.A., see Vecchiet, L., 117
Gimenez y Ribotta, M., see Roudet, C., 89
Ginestroni, A., see Failli, P., 216
Giotti, A., see Failli, P., 216
Go, Y., see Sivaparvathi, M., 171
Gobbel, G.T., see Bellinzona, M., 163
Gokaslan, Z.L., see Sivaparvathi, M., 171
Goldman, S., see Dethy, S., 159
Gómez-Wong, E., Valls-Solé, J., Effects of a prepulse stimulus on the masseteric inhibitory reflex in humans, 183
Grafe, P., see Großkreutz, J., 49
Green, P.G., see Miao, F.J.-P., 143
Griffond, B., see Grillon, S., 33
Grillon, S., Griffond, B., Fellmann, D., Alteration of dynorphin and secretogranin II in the prolactin immunoreactive neurons of the rat lateral hypothalamus upon osmotic stimulation, 33
Großkreutz, J., Quasthoff, S., Kühn, M., Grafe, P., Capsaicin blocks tetrodotoxin-resistant sodium potentials and calcium potentials in unmyelinated C fibres of biopsied human sural nerve in vitro, 49

Hamprecht, B., see Elekes, O., 69
Hildebrand, J., see Dethy, S., 159

Hirunagi, K., see Estacio, M.A.C., 25
Horiuchi, S., see Kimura, T., 53
Hsu, L., see Jeng, A.Y., 208

Iezzi, S., see Vecchiet, L., 117
Ii, K., see Kamino, K., 195
Ikeda, K., see Kimura, T., 53
Ikemoto, A., see Yasuhara, O., 167
Issberner, U., Reeh, P.W., Steen, K.H., Pain due to tissue acidosis: a mechanism for inflammatory and ischemic myalgia?, 191

Jacob, N., see Vuillez, P., 37
Jeng, A.Y., Wass, K.S., Hsu, L., Developmental changes in endothelin A and endothelin B receptor subtypes in embryonic chick brains, 208
Johanson, C.E., see Szmydynger-Chodobska, J., 179
Joó, F., see Ábrahám, C.S., 85

Kamata, Y., see Nishiki, T., 105
Kamino, K., Sato, S., Sakaki, Y., Yoshiiwa, A., Nishiwaki, Y., Takeda, M., Tanabe, H., Nishimura, T., Ii, K., St George-Hyslop, P.H., Miki, T., Ogihara, T., Three different mutations of presenilin 1 gene in early-onset Alzheimer's disease families, 195
Kawamoto, Y., see Yasuhara, O., 167
Kawase, M., see Kondo, T., 101
Kelleher, K., see White, D.M., 93
Khasar, S.G., see Miao, F.J.-P., 143
Kimura, J., see Yasuhara, O., 167
Kimura, T., Takamatsu, J., Ikeda, K., Kondo, A., Miyakawa, T., Horiuchi, S., Accumulation of advanced glycation end products of the Maillard reaction with age in human hippocampal neurons, 53
Kinoshita, A., see Yasuhara, O., 167
Kinouchi, H., see Kondo, T., 101
Kishi, K., see Ojima, H., 57
Kohman, C.M., see Mello, L.E.A.M., 133
Kondo, A., see Kimura, T., 53
Kondo, T., Kinouchi, H., Kawase, M., Yoshimoto, T., Astroglial cells inhibit the increasing permeability of brain endothelial cell monolayer following hypoxia/reoxygenation, 101
Korf, J., see Elekes, O., 69
Kozaki, S., see Nishiki, T., 105
Kozlov, A., see Ali, Z., 203
Kühn, M., see Großkreutz, J., 49

Laute, M.A., see Dethy, S., 159
Lekan, H.A., Carlton, S.M., Coggeshall, R.E., Sprouting of Aβ fibers into lamina II of the rat dorsal horn in peripheral neuropathy, 147
Levine, J.D., see McCall, W.D., 45
Levine, J.D., see Miao, F.J.-P., 143
Levine, R.L., see Moorhouse, L., 13
Lin, A.Y.-J., see Szmydynger-Chodobska, J., 179
Lin, J.-H., Lin, M.-T., Inhibition of nitric oxide synthase or cyclo-oxygenase pathways in organum vasculosum laminae terminalis attenuates interleukin-1β fever in rabbits, 155
Lin, M.-T., see Lin, J.-H., 155
Lutzenberger, W., see Mölle, M., 61

Maeda, K.-i., see Estacio, M.A.C., 25
Mann, D.M.A., see Siddons, M.A., 65
Mannino, F., see Bronzetti, E., 211
Mansfield, K., see White, D.M., 93
Marshall, L., see Mölle, M., 61
McCall, W.D., Tanner, K.D., Levine, J.D., Formalin induces biphasic activity in C-fibers in the rat, 45
McDonald A.J.,Localization of AMPA glutamate receptor subunits in subpopulations of non-pyramidal neurons in the rat basolateral amygdala, 175
McGeer, P.L, see Yasuhara, O., 167
Megyeri, P., see Ábrahám, C.S., 85
Mello, L.E.A.M., Kohman, C.M., Tan, A.M., Cavalheiro, E.A., Finch, D.M., Lack of Fos-like immunoreactivity after spontaneous seizures or reinduction of status epilepticus by pilocarpine in rats, 133
Miao, F.J.-P., Khasar, S.G., Green, P.G., Levine, J.D., Tachyphylaxis develops to bradykinin-induced plasma extravasation in the rat, 143
Miki, T., see Kamino, K., 195
Miyakawa, T., see Kimura, T., 53
Mölle, M., Marshall, L., Lutzenberger, W., Pietrowsky, R., Fehm, H.L., Born, J., Enhanced dynamic complexity in the human EEG during creative thinking, 61
Monfils, P.R., see Szmydynger-Chodobska, J., 179
Montanari, G., see Vecchiet, L., 117
Moorhouse, L., Pederson, K., Levine, R.L., Specific uptake of intracranial horseradish peroxidase (HRP) by microglial cells in the goldfish, 13
Moriya, T., Fukushima, T., Shimazoe, T., Shibata, S., Watanabe, S., Chronic administration of methamphetamine does not affect the suprachiasmatic nucleus-operated circadian pacemaker in rats, 129
Mousseau, D.D., see Raghavendra Rao, V.L., 17
Murakami, K., see Ojima, H., 57

Nakamura, S., see Yasuhara, O., 167
Nelson, P.T., Saper, C.B., Injections of okadaic acid, but not beta-amyloid peptide, induce Alz-50 immunoreactive dystrophic neurites in the cerebral cortex of sheep, 77
Nemoto, Y., see Nishiki, T., 105
Nishiki, T., Tokuyama, Y., Kamata, Y., Nemoto, Y., Yoshida, A., Sekiguchi, M., Takahashi, M., Kozaki, S., Binding of botulinum type B neurotoxin to Chinese hamster ovary cells transfected with rat synaptotagmin II cDNA, 105
Nishimura, T., see Kamino, K., 195
Nishiwaki, Y., see Kamino, K., 195
Nistri, A., see Zaykin, A., 151
Nouel, D., see Boulay, D., 5

Ogihara, T., see Kamino, K., 195
Ojima, H., Murakami, K., Kishi, K., Dual termination modes of corticothalamic fibers originating from pyramids of layers 5 and 6 in cat visual cortical area 17, 57
Orban, G.A., see Baekelandt, V., 113
Orkand, R.K., see Skatchkov, S.N., 81
Owen, F., see Siddons, M.A., 65

Palluy, O., Rigaud, M., Nitric oxide induces cultured cortical neuron apoptosis, 1
Pascher, R., see Skoglund, T.S., 97
Paulus, W., see Ziemann, U., 187
Pederson, K., see Moorhouse, L., 13
Peeling, J., Sutherland, G., Brown, R.A., Curry, S., Protective effect of dichloroacetate in a rat model of forebrain ischemia, 21
Perrone-Bizzozero, N.I., see Saland, L.C., 138
Pévet, P., see Vuillez, P., 37
Pickering-Brown, S.M., see Siddons, M.A., 65

Pietrowsky, R., see Mölle, M., 61
Pizzigallo, E., see Vecchiet, L., 117
Popoli, P., see Ferré, S., 109
Postema, F., see Elekes, O., 69
Privat, A., see Roudet, C., 89
Przedborski, S., see Dethy, S., 159

Quasthoff, S., see Großkreutz, J., 49

Raghavendra Rao, V.L., Mousseau, D.D., Butterworth, R.F., Nitric oxide synthase activities are selectively decreased in vulnerable brain regions in thiamine deficiency, 17
Rahman, M.P., see Szmydynger-Chodobska, J., 179
Ramirez, D., see Saland, L.C., 138
Rao, J.S., see Sivaparvathi, M., 171
Reeh, P.W., see Issberner, U., 191
Ricci, A., see Bronzetti, E., 211
Rigaud, M., see Palluy, O., 1
Roberts, R.J., Shelton, C.J., Daniels, S., Smith, E.B., Glycine activation of human homomeric α1 glycine receptors is sensitive to pressure in the range of the high pressure nervous syndrome, 125
Roudet, C., Gimenez y Ribotta, M., Privat, A., Feuerstein, C., Savasta, M., Regional study of spinal alpha 2-adrenoceptor densities after intraspinal noradrenergic-rich implants on adult rats bearing complete spinal cord transection or selective chemical noradrenergic denervation , 89
Ruocco, C., see Failli, P., 216

Sakaki, Y., see Kamino, K., 195
Saland, L.C., Perrone-Bizzozero, N.I., Sower, A., Samora, A., Ramirez, D., Apodaca, A., Alterations in GAP-43-immunoreactive innervation in the aging rat pituitary, 138
Samora, A., see Saland, L.C., 138
Saper, C.B., see Nelson, P.T., 77
Sato, S., see Kamino, K., 195
Savasta, M., see Roudet, C., 89
Sawaya, R., see Sivaparvathi, M., 171
Schwarz, M., see Block, F., 41
Sekiguchi, M., see Nishiki, T., 105
Seller, H., see Zanzinger, J., 121
Shelton, C.J., see Roberts, R.J., 125
Shibata, S., see Moriya, T., 129
Shimazoe, T., see Moriya, T., 129
Shinohara, C., see Bellinzona, M., 163
Siddons, M.A., Pickering-Brown, S.M., Mann, D.M.A., Owen, F., Cooper, P.N., Debrisoquine hydroxylase gene polymorphism frequencies in patients with amyotrophic lateral sclerosis, 65
Sivaparvathi, M., Sawaya, R., Chintala, S.K., Go, Y., Gokaslan, Z.L., Rao, J.S., Expression of cathepsin D during the progression of human gliomas, 171
Skatchkov, S.N., Vyklický, L., Clasen, T., Orkand, R.K., Effect of cutting the optic nerve on K^+ currents in endfeet of Müller cells isolated from frog retina, 81
Skoglund, T.S., Pascher, R., Berthold, C.-H., Heterogeneity in the columnar number of neurons in different neocortical areas in the rat, 97
Smith, E.B., see Roberts, R.J., 125
Sorbi, S., see Failli, P., 216
Sower, A., see Saland, L.C., 138
St George-Hyslop, P.H., see Kamino, K., 195
Steen, K.H., see Issberner, U., 191
Sutherland, G., see Peeling, J., 21
Szmydynger-Chodobska, J., Monfils, P.R., Lin, A.Y.-J., Rahman, M.P., Johanson, C.E., Chodobski, A., NADPH-diaphorase histochemistry of rat choroid plexus blood vessels and epithelium, 179

Takahashi, M., see Nishiki, T., 105
Takamatsu, J., see Kimura, T., 53
Takeda, M., see Kamino, K., 195
Tan, A.M., see Mello, L.E.A.M., 133
Tanabe, H., see Kamino, K., 195
Tanner, K.D., see McCall, W.D., 45
Tateishi, K., see Yasuhara, O., 167
Teclemariam-Mesbah, R., see Vuillez, P., 37
Tesco, G., see Failli, P., 216
Thiry, P., see Dethy, S., 159
Tinner-Staines, B., see Ferré, S., 109
Togasaki, D.M., see Dethy, S., 159
Tokuyama, Y., see Nishiki, T., 105
Torpier, G., see Ábrahám, C.S., 85
Tsukahara, S., see Estacio, M.A.C., 25
Tsukamura, H., see Estacio, M.A.C., 25

Valls-Solé, J., see Gómez-Wong, E., 183
Vandesande, F., see Baekelandt, V., 113
Vecchiet, J., see Vecchiet, L., 117
Vecchiet, L., Montanari, G., Pizzigallo, E., Iezzi, S., de Bigontina, P., Dragani, L., Vecchiet, J., Giamberardino, M.A., Sensory characterization of somatic parietal tissues in humans with chronic fatigue syndrome, 117
Venema, K., see Elekes, O., 69
Viala, D., see Bonnot, A., 9
Viala, G., see Bonnot, A., 9
Vuillez, P., Jacob, N., Teclemariam-Mesbah, R., Pévet, P., In Syrian and European hamsters, the duration of sensitive phase to light of the suprachiasmatic nuclei depends on the photoperiod, 37
Vyklický, L., see Skatchkov, S.N., 81
Walsh, J.P., see DeFazio, T., 29

Wass, K.S., see Jeng, A.Y., 208
Watanabe, S., see Moriya, T., 129
White, D.M., Mansfield, K., Kelleher, K., Increased neurite outgrowth of cultured rat dorsal root ganglion cells following transection or inhibition of axonal transport of the sciatic nerve, 93
Wu, G., see Ali, Z., 203

Yamada, S., see Estacio, M.A.C., 25
Yasuhara, O., Akiguchi, I., Nakamura, S., Kinoshita, A., Ikemoto, A., Kawamoto, Y., Kimura, J., Funakoshi, A., Tateishi, K., McGeer, P.L., Pancreastatin-like immunoreactivity in globular dystrophic neurites of senile plaques in brains of patients with Alzheimer' s disease, 167
Yoshida, A., see Nishiki, T., 105
Yoshiiwa, A., see Kamino, K., 195
Yoshimoto, T., see Kondo, T., 101

Zanzinger, J., Czachurski, J., Seller, H., Lack of nitric oxide sensitivity of carotid sinus baroreceptors activated by normal blood pressure stimuli in cats, 121
Zaykin, A., Nistri, A., Voltage-activated fast currents of frog optic tectum neurones are blocked by ouabain or K^+-free solution, 151
Ziemann, U., Bruns, D., Paulus, W., Enhancement of human motor cortex inhibition by the dopamine receptor agonist pergolide: evidence from transcranial magnetic stimulation, 187